

ACTON BOARD OF HEALTH**ANNUAL INSPECTION HAZARDOUS MATERIALS PERMIT HOLDER**D.H.
9/12/05

Facility Name:

Swanson Pontiac

Type of Business:

automotive Repair

Address:

Sudbury Rd -

Telephone:

Contact Person:

J Swanson -**Housekeeping:**

Is area clean:

☒ yes☐ no

Are spills present:

☒ yes☐ no

Is there appropriate storage of materials:

☒ yes☐ no

Are materials and wastes kept separate:

☒ yes☐ no

Are spill cleanup materials available:

☒ yes☐ no

Materials have secondary containment:

☒ yes☐ no

Are materials and wastes labeled:

☒ yes☐ no**Safety:**

Are MSDSs available on site:

☒ yes☐ no

Is employee personal protective equipment available on site:

☒ yes☐ no

Are employees trained in hazardous materials handling:

☒ yes☐ no

Are emergency procedures posted:

☒ yes☐ no

new book on order -

when hired -

Site Management:

Are wastes removed by a licensed hauler:

☒ yes☐ no

Are floor drains present in any area with hazardous materials or waste:

☒ yes☐ no

Are sinks present in any area with hazardous materials or waste:

☒ yes☐ no

Is testing of septic system necessary:

☒ yes☐ no

Does site plan on file reflect current arrangement:

☒ yes☐ no

Any UST (underground storage tank) present:

☒ yes☐ no

If UST present, is it alarmed:

☒ yes☐ noBill Murphy
New England
Env. Sys.**Action Items**

Reinspection required?

Yes

☒ No

Date:

Representative Signature/Date

Inspector Signature/Date

9/9/05